

Concept - exposed

With imagination you can achieve anything



Banksia




Jarrah



Cypress Black



Blackbutt



Blue Gum



Tuart



Karri

The raw materials used in the production of the Concept™ range come from nature. Some variation in consistency, appearance, quality and texture is characteristic of natural products.

Samples shown in this brochure are indicative only – no guarantee of the coloured or textured finish is given or implied.

This concrete is manufactured to Australian Standard AS 1379. No guarantee of the product's coloured or textured finish is given or implied. Concrete must be dry (not exposed to water or rain for a minimum of 72 hours) prior to acid washing and sealing. Sealer manufacturer's application directions must be followed.


HOLCIM STRONGLY RECOMMENDS VIEWING OUR SAMPLES AT ONE OF OUR DISPLAY LOCATIONS BEFORE FINALISING YOUR CONCEPT DECORATIVE CONCRETE CHOICE.

HOLCIM (Australia) Pty Ltd


18 Brodie Hall Drive Bentley WA 6102
P 08 9212 2171 F 08 9212 2003
www.holcim.com.au

Concept - polished


With imagination you can achieve anything




Banksia



Jarrah



Cypress Black




Blackbutt



Blue Gum



Tuart



Karri

The raw materials used in the production of the Concept™ range come from nature. Some variation in consistency, appearance, quality and texture is characteristic of natural products.

Samples shown in this brochure are indicative only – no guarantee of the coloured or textured finish is given or implied.

This concrete is manufactured to Australian Standard AS 1379. No guarantee of the product's coloured or textured finish is given or implied. Concrete must be dry (not exposed to water or rain for a minimum of 72 hours) prior to acid washing and sealing. Sealer manufacturer's application directions must be followed.

HOLCIM STRONGLY RECOMMENDS VIEWING OUR SAMPLES AT ONE OF OUR DISPLAY LOCATIONS BEFORE FINALISING YOUR CONCEPT DECORATIVE CONCRETE CHOICE.

HOLCIM (Australia) Pty Ltd

18 Brodie Hall Drive Bentley WA 6102
P 08 9212 2171 F 08 9212 2003
www.holcim.com.au

Concept - exposed

With imagination you can achieve anything



Acacia



Wattle



Wandoo



Bottlebrush



Myrtle



Autumn Blaze Maple



Black She-Oak



Ghost Maple



Hibiscus

The raw materials used in the production of the Concept™ range come from nature. Some variation in consistency, appearance, quality and texture is characteristic of natural products.

Samples shown in this brochure are indicative only – no guarantee of the coloured or textured finish is given or implied.

This concrete is manufactured to Australian Standard AS 1379. No guarantee of the product's coloured or textured finish is given or implied. Concrete must be dry (not exposed to water or rain for a minimum of 72 hours) prior to acid washing and sealing. Sealer manufacturer's application directions must be followed.

HOLCIM STRONGLY RECOMMENDS VIEWING OUR SAMPLES AT ONE OF OUR DISPLAY LOCATIONS BEFORE FINALISING YOUR CONCEPT DECORATIVE CONCRETE CHOICE.

HOLCIM (Australia) Pty Ltd

18 Brodie Hall Drive Bentley WA 6102
P 08 9212 2171 F 08 9212 2003
www.holcim.com.au

Concept - polished

With imagination you can achieve anything



Acacia



Wattle



Wandoo



Bottlebrush



Myrtle



Autumn Blaze Maple



Black She-Oak



Ghost Maple



Hibiscus

The raw materials used in the production of the Concept™ range come from nature. Some variation in consistency, appearance, quality and texture is characteristic of natural products.

Samples shown in this brochure are indicative only – no guarantee of the coloured or textured finish is given or implied.

This concrete is manufactured to Australian Standard AS 1379. No guarantee of the product's coloured or textured finish is given or implied. Concrete must be dry (not exposed to water or rain for a minimum of 72 hours) prior to acid washing and sealing. Sealer manufacturer's application directions must be followed.

HOLCIM STRONGLY RECOMMENDS VIEWING OUR SAMPLES AT ONE OF OUR DISPLAY LOCATIONS BEFORE FINALISING YOUR CONCEPT DECORATIVE CONCRETE CHOICE.

HOLCIM (Australia) Pty Ltd

18 Brodie Hall Drive Bentley WA 6102
P 08 9212 2171 F 08 9212 2003
www.holcim.com.au

Concept - coloured cream cement

With imagination you can achieve anything




Sandtone




Deep Red



Dark Brown



Marigold



Light Brown



Light Terracotta



Bright Yellow

THE COLOURS PICTURED ABOVE ARE BASED UPON A SEALED SURFACE.

HOLCIM STRONGLY RECOMMENDS VIEWING OUR SAMPLES AT ONE OF OUR DISPLAY LOCATIONS BEFORE FINALISING YOUR CONCEPT DECORATIVE CONCRETE CHOICE.

The raw materials used in the production of the Concept™ range come from nature. Some variation in consistency, appearance, quality and texture is characteristic of natural products.

Samples shown in this brochure are indicative only – no guarantee of the coloured or textured finish is given or implied.

This concrete is manufactured to Australian Standard AS 1379. No guarantee of the product's coloured or textured finish is given or implied. Concrete must be dry (not exposed to water or rain for a minimum of 72 hours) prior to acid washing and sealing. Sealer manufacturer's application directions must be followed.

HOLCIM (Australia) Pty Ltd

18 Brodie Hall Drive Bentley WA 6102
P 08 9212 2171 F 08 9212 2003
www.holcim.com.au

Concept - coloured grey cement


With imagination you can achieve anything



Brown




Sandstone



Marigold



Charcoal



Light Brown



Deep Red



Light Terracotta



Supreme Black

The raw materials used in the production of the Concept™ range come from nature. Some variation in consistency, appearance, quality and texture is characteristic of natural products.

Samples shown in this brochure are indicative only – no guarantee of the coloured or textured finish is given or implied.

This concrete is manufactured to Australian Standard AS 1379. No guarantee of the product's coloured or textured finish is given or implied. Concrete must be dry (not exposed to water or rain for a minimum of 72 hours) prior to acid washing and sealing. Sealer manufacturer's application directions must be followed.

THE COLOURS PICTURED ABOVE ARE BASED UPON A SEALED SURFACE.

HOLCIM STRONGLY RECOMMENDS VIEWING OUR SAMPLES AT ONE OF OUR DISPLAY LOCATIONS BEFORE FINALISING YOUR CONCEPT DECORATIVE CONCRETE CHOICE.

HOLCIM (Australia) Pty Ltd

18 Brodie Hall Drive Bentley WA 6102
P 08 9212 2171 F 08 9212 2003
www.holcim.com.au